

SIMPSON

Strong-Tie

®

Experience The Difference
Deck-DriveTM
PREMIUM FASTENERS

DSV WOOD Screw
Preservative-Treated Decking and
Exterior Timber-to-Timber Applications

DWP WOOD SS Screw
Decking, Docks, and Boardwalks;
Finishing and Trim

DHW HARDWOOD Screw
Hardwood Decking, Docks and
Boardwalks to Softwood Framing

DHSD HARDWOOD Screw
Hardwood Decking, Docks and
Boardwalks to Hardwood Framing

BFHSD BI-METAL Screw
Hardwood Decking
to Steel Framing

DCU COMPOSITE Screw
All Types of Composite Decking
to Timber Framing



DCSD COMPOSITE-TO-STEEL Screw
All Types of Composite Decking
to Steel Framing

Deck-DriveTM

PREMIUM FASTENERS

THE ULTIMATE DECK SCREWS


Superior performance for decking projects: Deck-DriveTM screws are designed with the most demanding deck builders in mind. Whether the project calls for timber decking, premium composite or exotic hardwoods, you can trust Deck-Drive screws to provide you peace of mind, protect your reputation and keep your customers smiling.



TIMBER Decking



COMPOSITE Decking



STEEL Decking

WE OFFER FASTENING SOLUTIONS

Sometimes you need a fastener that does more. Maybe you're looking for higher loads or additional corrosion resistance, or perhaps an installation method that saves time on a repetitive application. Whatever it is, you are no longer looking for just a fastener, what you are really looking for is a solution.

Deck-Drive™

PREMIUM FASTENERS



Each tub includes 250 screws and one driver bit



TIMBER-DECKING Screws

DSV WOOD Screw

The DSV screw is a powerful fastening solution for treated timber decking applications. With its under-head nibs and fast-start tip, the DSV is ideally suited to be driven and countersunk into today's softwood deck boards. The shank is designed to withstand the swelling and shrinkage that is common with fast-growth timber.

- Low-torque threads allow up to 35% more screws to be driven on a battery charge
- Ribbed head design countersinks easily and provides a clean, finished appearance
- High-low tip provides fast starts
- Quik Guard® coating provides corrosion resistance for exterior and certain preservative-treated timber applications

Corrosion Resistance Level
MEDIUM



Model	Diameter	Length	Bit	Box Qty	Ctn Qty
Quik Guard® Tan					
DSVT2R250	10G	50mm	BIT25T-2	250	1,500
DSVT212R250	10G	65mm	BIT25T-2	250	1,500

DWP WOOD SS Screw

The DWP screw is a powerful fastening solution for decking and general exterior applications where extra corrosion protection is needed. With its specially designed sharp-point and unique box-threads, the DWP is ideally suited for the majority of timber used in today's decking boards.

- Unique "box" thread design with raised-ridge technology greatly reduces driving torque, which allows you to drive more screws on a single battery charge
- Pre-drilling and countersinking may be required

Corrosion Resistance Level
HIGH




Model	Diameter	Length	Bit	Box Qty	Ctn Qty
Stainless Steel 305					
S10200WPR250	10G	50mm	BIT25T-2	250	1,500
S10250WPR250	10G	65mm	BIT25T-2	250	1,500

DHW **HARDWOOD** Screw

The DHW hardwood-to-softwood decking screw is specially designed to penetrate the hardest timber decking products with ease. With its unique drill point, it virtually eliminates splitting without pre-drilling. The wings on the shaft counter-bore hard material, allowing the head to countersink easily for a clean finished look. Available in Type 305 stainless steel for addition corrosion protection.



- Penetrate the hardest timber products without pre-drilling
- Compact head ensures a low-profile installation and reduced visibility
- Wings on the shaft counter-bore hard material and allow the head to countersink for a clean look



Model	Diameter	Length	Bit	Box Qty	Ctn Qty
Stainless Steel 305					
SSDHW60R250	10G	60mm	BIT2-2	250	1,500
Class 3 Mechanically Galvanised					
DHWG60R250	10G	60mm	BIT2U-2	250	1,500

DHSD **HARDWOOD** Screw

The DHSD hardwood-to-hardwood decking screw is specially designed to penetrate the hardest timber decking products with ease. With its unique drill point, it virtually eliminates countersinking and splitting without pre-drilling.



- Hardwood Drill Point drives easily into hardwood joists without the need to pre-drill.
- Unique Ribbed Shank provides greater strength and holding power
- Raised-Compact Head creates a decorative, professional-quality look that will not allow water to pool.



Model	Diameter	Length	Bit	Box Qty	Ctn Qty
Stainless Steel 305					
SSDHSD50R250	10G	50mm	BIT2-2	250	1,500
SSDHSD60R250	10G	60mm	BIT2-2	250	1,500



STEEL Screws

BFHSD **BI-METAL** Screw

The BFHSD BI-METAL screw is designed to work in hardwood decking to steel joists without sacrificing performance. This 316 stainless steel bi-metal screws require no pre-drilling, making them easier and faster to install than typical decking screws.



- Drives easily through 1.2mm - 3mm steel without pre-drilling
- 316 Stainless Steel for superior corrosion resistance
- Zinc coating to prevent dissimilar metal corrosion



Model	Diameter	Length	Bit	Box Qty	Ctn Qty
Stainless Steel 316					
SSBFHSD2R250	10G	50mm	BIT2-2	250	1,500

COMPOSITE-DECKING Screws

DCU **COMPOSITE** Screw

The DCU COMPOSITE screw is designed to work in all types of decking (composite and encapsulated composite) without sacrificing performance. The DCU Composite screw provides a cleaner, less noticeable installed appearance due to the special head design and is available in 4 colours, matched to blend with most composite deck products.



Length: 70mm

- Tri-lobe thread design
- Double-Cut point penetrates composite-decking with ease for faster starts
- Cap-head prevents mushrooming and material from rising up above the deck for a smoother, clean looking installation

Stainless Steel 316:
Corrosion Resistance Level
SEVERE

C-3 Mech. Gal.:
Corrosion Resistance Level
MEDIUM

Model	Dia.	Finish	Bit	Box Qty	Ctn Qty
Quik Guard®					
DCU234BRR250	10G	Brown	BIT20T-2	250	1,500
DCU234TNR250	10G	Tan	BIT20T-2	250	1,500
DCU234RDR250	10G	Red	BIT20T-2	250	1,500
DCU234GRR250	10G	Grey	BIT20T-2	250	1,500
Stainless Steel 316					
DCU234SS316R250	10G	SS	BIT20T-2	250	1,500

DCSD **COMPOSITE-TO-STEEL** Screw

The DCSD COMPOSITE-TO-STEEL screw is designed to work in composite decking without sacrificing performance. This screw provides a cleaner, less noticeable installed appearance due to the special head design and is available in 4 colours, matched to blend with most composite deck products.



Length: 60mm

- Drives easily through 1mm - 3mm steel without pre-drilling
- Compact head provides a clean, finished deck surface with no mushrooming
- Colour matched to blend with most major composite decking product

Corrosion Resistance Level
MEDIUM

Model	Dia.	Finish	Bit	Box Qty	Ctn Qty
Quik Guard®					
DCSD238BRR250	10G	Brown	BIT2U-2	250	1,500
DCSD238TNR250	10G	Tan	BIT2U-2	250	1,500
DCSD238RDR250	10G	Red	BIT2U-2	250	1,500
DCSD238GRR250	10G	Grey	BIT2U-2	250	1,500


Quik Drive®

AUTO-FEED SCREW DRIVING SYSTEMS

TIME SAVING BY DESIGN

Fasteners seen in this brochure are also available collated for the Quik Drive® System.

Quik Drive® is the fastest auto-feed screw driving system on the market, ensuring you'll save maximum time during repetitive fastening applications. Rather than installing individual screws, or other more complicated fastening options, Quik Drive operators can work faster, in most cases from an ergonomic standing position. When time is money, Quik Drive is the faster fastener tool.



Simpson Strong-Tie® Australia Pty. Limited

ABN: 590 8888 3863

www.strongtie.com.au

Sydney:

1 / 16 Kenoma Place
Arndell Park NSW 2148

02 9831 7700
02 9831 2726 Fax

Melbourne:

16 / 40 Ricketts Road
Mount Waverley VIC 3149

03 9544 2140
03 9562 8982 Fax